



Scuola Superiore
Sant'Anna

University of Pisa
Master of Science in Computer Science
Course of Robotics (ROB)
A.Y. 2018/19

Robot Sensors

Cecilia Laschi
The BioRobotics Institute
Scuola Superiore Sant'Anna, Pisa

cecilia.laschi@santannapisa.it

<http://didawiki.cli.di.unipi.it/doku.php/magistraleinformatica/rob/start>





Robot definition

Scuola Superiore
Sant'Anna

A robot is an autonomous system
which exists in the physical world,
can sense its environment,
and can act on it to achieve some goals




Maja J Mataric, *The Robotics Primer*, The MIT Press, 2007

What's in a robot?

Robot components

Seuola Superiore
Sant'Anna



Legend

Actuator
Controller
Sensor

Outline of the lesson

- Definitions of sensor and transducer
- Classification of transducers
- Fundamental properties of sensors
- Position sensors: switches, encoders, potentiometers, Hall-effect sensors
- Range/Distance sensors: ultrasound sensors and laser range finders
- Proximity sensors: Hall-effect and infrared sensors
- Force sensors: strain gauges and force/torque sensors
- Inertial sensors

Bibliographical references:

AA.VV., *Handbook of Mechatronics*, CRC Press LLC, 2002, Cap.19



Outline of the lesson

- **Definitions of sensor and transducer**
- Classification of transducers
- Fundamental properties of sensors
- Position sensors: switches, encoders, potentiometers, Hall-effect sensors
- Range/Distance sensors: ultrasound sensors and laser range finders
- Proximity sensors: Hall-effect and infrared sensors
- Force sensors: strain gauges and force/torque sensors
- Inertial sensors

Bibliographical references:

AA.VV., *Handbook of Mechatronics*, CRC Press LLC, 2002, Cap.19



Definitions of sensor and transducer

- **SENSOR:**
device sensitive to a physical quantity and able to transform it in a measurable and transferable signal
- **TRANSDUCER:**
device receiving in input a kind of energy and producing in output energy of a different kind, according to a known relation between input and output, not necessarily for measurement purposes



Outline of the lesson

- Definitions of sensor and transducer
- **Classification of transducers**
- Fundamental properties of sensors
- Position sensors: switches, encoders, potentiometers, Hall-effect sensors
- Range/Distance sensors: ultrasound sensors and laser range finders
- Proximity sensors: Hall-effect and infrared sensors
- Force sensors: strain gauges and force/torque sensors
- Inertial sensors

Bibliographical references:

AA.VV., *Handbook of Mechatronics*, CRC Press LLC, 2002, Cap.19



First classification:

- Passive sensors:
 - convert directly input energy in output, without external energy sources
- Active sensors:
 - require external energy (excitation) for energy conversion



Classification of transducers

based on the kind of input energy, output energy, or external energy

- Radiant – electromagnetic waves:
 - intensity, frequency, polarization and phase
- Mechanical – external parameter of materials:
 - position, velocity, dimension, compliance, force
- Thermal:
 - temperature, gradient of temperature, heat
- Electrical:
 - voltage, current, resistivity, capacity
- Magnetic:
 - field intensity, flow density, permeability
- Chemical – internal structure of materials:
 - concentrations, crystal structure, aggregation state



Trasformations of energy in a transducer

INPUT ENERGY ➡ *AUSILIARY ENERGY* ➡ *OUTPUT ENERGY*

CHEMICAL

MAGNETIC

ELECTRICAL

THERMAL

MECHANICAL

RADIANT

CHEMICAL

MAGNETIC

ELECTRICAL

THERMAL

MECHANICAL

RADIANT

NONE

CHEMICAL

MAGNETIC

ELECTRICAL

THERMAL

MECHANICAL

RADIANT



Trasformations of energy in a transducer

INPUT ENERGY ➡ *AUSILIARY ENERGY* ➡ *OUTPUT ENERGY*

CHEMICAL

MAGNETIC

ELECTRICAL

THERMAL

MECHANICAL

RADIANT

CHEMICAL

MAGNETIC

ELECTRICAL

THERMAL

MECHANICAL

RADIANT

NONE

CHEMICAL

MAGNETIC

ELECTRICAL

THERMAL

MECHANICAL

RADIANT



Outline of the lesson

- Definitions of sensor and transducer
- Classification of transducers
- **Fundamental properties of sensors**
- Position sensors: switches, encoders, potentiometers, Hall-effect sensors
- Range/Distance sensors: ultrasound sensors and laser range finders
- Proximity sensors: Hall-effect and infrared sensors
- Force sensors: strain gauges and force/torque sensors
- Inertial sensors

Bibliographical references:

AA.VV., *Handbook of Mechatronics*, CRC Press LLC, 2002, Cap.19



Fundamental properties of a sensor

- TRANSFER FUNCTION
- CALIBRATION
- LINEARITY
- HYSTERESIS
- ACCURACY
- REPEATABILITY
- RESOLUTION
- SENSITIVENESS
- SENSITIVENESS TO NOISE
- LIFETIME
- STABILITY



Transfer function

The *transfer function* (or *characteristic function*) is the relation between the quantity to measure (input to the sensor) and the output of the sensor



Calibration

The *calibration* procedure consists of measuring the output of the sensor for known quantities

Calibration cycle means a trial that covers the whole working range of the sensor; the trial is divided in two parts, one with increasing values and the other with decreasing values



Linearity

If the transfer function of a sensor is represented in a linear plot, *linearity* is a measure of the deviation of the transfer function from a line.

The line can be chosen in two ways:

- 1) the line between the output of the sensor for the input values corresponding to 0% and 100% of its working range
- 2) the line that best fits the sensor transfer function, with the minimum squares method

Linearity is measured as the maximum difference, expressed in % of the maximum value of the transfer function, between the transfer function and the reference line



Hysteresis


If a sensor has *hysteresis*, for a same input value, the output may vary, depending on the fact that the input values are increasing or decreasing.

Hysteresis is measured as the maximum difference between the two output curves of the sensor during the calibration cycle.

It is expressed as a % of the maximum value for the transfer function



Example of hysteresis in a tactile sensor



Accuracy

Accuracy represents the maximum error between the actual value and the value measured by the sensor.






Repeatability

When a same input value is applies to a sensor, *repeatability* is a measure of the variability of the output of the sensor.



Accuracy and Repeatability

- accuracy
 - $100 (x_m - x_v) / x_v$
 - x_m = average value
 - x_v = actual value
- repeatability
 - dispersion of measures

measure	Repeatable	Accurate
	YES	NO
	NO	YES
	YES	YES



Resolution

Resolution is the minimum variation of the input which gives a variation of the output of the sensor.



Sensitiveness

A small variation of the input causes a corresponding small variation of the output values.

Sensitiveness is the ratio between the output variation and the input variation.



Noise

Noise is the amount of signal in the sensor output which is not given by the input.



Stability

Stability is the capability of the sensor to keep its working characteristics for a given time (short, medium, long).




Other static parameters

- Response time
- Input range
- Cost, size, weight
- Response in frequency
- Environmental factors
- Maximum/minimum temperature
- Warm-up time
- Presence of smoke, gas, ...
- ...



Dynamic parameters

- zero drift
 - For instance,
due to temperature
- sensitiveness drift



Role of sensors in a robot

- Perception of the external state:
measurement of variables
characterizing the working
environment. For instance, distance,
proximity, force.



Role of sensors in a robot

- Perception of the internal state: measurement of variables internal to the system that are used to control the robot. For instance, joint position.



Role of sensors in a robot

- Sensing the external state (**exteroception**): measurement of variables characterizing the working environment.


- Examples:

Physical Property	→	Sensing Technology
Contact	→	bump, switch
Distance	→	ultrasound, radar, infra red
Light level	→	photocells, cameras
Sound level	→	microphones
Strain	→	strain gauges
Rotation	→	encoders and potentiometers
Acceleration	→	accelerometers and gyroscopes
Magnetism	→	compasses
Smell	→	chemical sensors
Temperature	→	thermal, infra red
Inclination	→	inclinometers, gyroscopes
Pressure	→	pressure gauges
Altitude	→	altimeters

- Sensing the internal state (**proprioception**): measurement of variables internal to the system that are used to control the robot.

- Examples:

- Joint position / encoders
- Battery level



Outline of the lesson

- Definitions of sensor and transducer
- Classification of transducers
- Fundamental properties of sensors
- **Position sensors: switches, encoders, potentiometers, Hall-effect sensors**
- Range/Distance sensors: ultrasound sensors and laser range finders
- Proximity sensors: Hall-effect and infrared sensors
- Force sensors: strain gauges and force/torque sensors
- Inertial sensors

Bibliographical references:

AA.VV., *Handbook of Mechatronics*, CRC Press LLC, 2002, Cap.19





Position sensors

- Switches
- Optical encoders
- Potentiometers
- Hall-effect sensors




Mechanical switches

- Simplest contact sensors
- Provide binary data:
contact / no contact
- Applications in robotics:
 - impact sensors on mobile robots
 - whiskers
 - endstop sensors for manipulator joints




Optical encoders


- Measurement of angular rotation of a shaft or an axle



Placement of position sensors



After reducer



Before reducer

θ : joint angular position

θ_m : motor angular position


k : motor reduction ratio

$$\theta = \frac{\theta_m}{k}$$
$$\frac{d\theta}{d\theta_m} = \frac{1}{k} \Rightarrow d\theta = \frac{1}{k} d\theta_m \quad \Rightarrow \text{The sensor error is reduced of a factor } k$$



Optical encoders

Rotation is measured by counting the **pulses** and by knowing the number of the disk **steps**



$$q = \frac{\theta \times 360^\circ}{R \times k}$$

q: joint angular position (in degrees)

θ : joint position in encoder steps

k: motor reduction ratio


R: encoder resolution (number of steps per turn)

The **frequency** of the pulse train is proportional to **angular velocity**



Incremental encoders

By using 2 photo-switches it is possible to detect the rotation direction, by means of the relation between the phases of their pulse trains




A and B are out of phase of $\frac{1}{4}$ of cycle

An increase of A with B=0 corresponds to a clockwise rotation

An increase of A with B=1 corresponds to a counterclockwise rotation



Absolute encoder




k photo-switches
k code tracks
Binary word of k bits,
representing 2^k different disk
orientations
Angular resolution of $360^\circ / 2^k$

- It gives the absolute rotation angle
- Each position is uniquely determined



Absolute encoder



Absolute encoder




Fig 3 4-Bit binary code absolute encoder disk track patterns



Absolute encoder - Gray Code

Single transition

Decimal	Binary	Gray Code
0	0000	0000
1	0001	0001
2	0010	0011
3	0011	0010
4	0100	0110
5	0101	0111
6	0110	0101
7	0111	0100
8	1000	1100
9	1001	1101






Fig 2. 4-Bit gray code absolute encoder disk track patterns



Optical encoder in an electric motor



Potentiometers



Variable resistor


$$L_1 = R_1 L_T / R_T =$$

$$= V_{output} L_T / V_{supply}$$



Hall-Effect sensors

In a conductor where a current i flows, immersed in a magnetic field of intensity B , a voltage V originates in the direction normal both to the current and to the magnetic field.



Voltage is proportional to:

- intensity of the current i
 - intensity of the magnetic field B ,
- while it is inversely proportional to:
- material thickness d :


$$V = R i B / d$$

where R = Hall constant or coefficient




Hall-effect sensors

Hall-effect proximity and contact sensor



Hall-effect position sensor



A permanent magnet generates a magnetic field.

The contact with a ferromagnetic object modifies the magnetic field.






The Hall effect measures this variation as a voltage



Hall-effect sensors as position sensors in robotics

15 Embedded Joint Angle Sensors (Hall effect)

(Operational range: 0 – 90 degrees,
Resolution: <5 degrees).



HUMANGLOVE

Studia la postura della mano

MOTION
LINE

Patent IT/PI1997A000026

Humanglove è un guanto sensorizzato a 22 gradi di libertà in grado di rilevare in tempo reale i movimenti della mano durante qualsiasi attività. Può essere utilizzato per applicazioni in Medicina, Neuro-Riabilitazione, Telerobotica e Realtà Virtuale.



HumanGlove è compatibile con lo standard di trasmissione dati Bluetooth. In questo modo, dopo averlo indossato è possibile muoversi liberamente, anche in ambienti esterni.

Il guanto è realizzato in materiale elastico e può essere indossato da utenti con mani di taglia diversa. Grazie ad una rapida operazione di calibrazione è possibile adattare le letture dei sensori per un nuovo utente ed i parametri di calibrazione possono essere salvati e riutilizzati successivamente.

Il software mostra i dati in formato numerico, analogico e grafico.



INDOSSABILITÀ

- Il dispositivo offre un elevato comfort grazie all'impiego di tessuti sintetici leggeri ed elastici e all'ingombro molto ridotto dei componenti.
- Il peso complessivo è ca. 290g
- Il sistema può anche lavorare in un ambiente non dedicato (ad es. all'aperto) perché non necessita di collegamento via cavo.

HumanGlove fa uso di ventidue sensori:

- tre sensori di flessione-estensione ed un sensore di abduzione-adduzione per ciascun dito (pollice compreso)
- un sensore di flessione-estensione ed un sensore di abduzione-adduzione per il polso


L'utilizzo di sensori ad effetto Hall garantisce una risposta lineare ed un elevato grado di robustezza e affidabilità.



CARATTERISTICHE DEL SISTEMA

- Accuratezza dei sensori: 0.1V / 2.5V
- Linearità dei sensori: < 2.0%
- Range dei sensori: > 110°
- Converter: 12 bit A/D
- Alimentazione: 4 batterie AAA
- Trasmissione dati: Bluetooth
- Freq. campionamento: max 100 Hz

La connessione Bluetooth concede all'utente ampia libertà di movimento. La connessione alla periferica avviene attraverso una porta seriale virtuale RS-232 su USB; in questo modo essa può essere collegata a qualsiasi tipo di workstation.



Humanware è una società costituita da specialisti in varie discipline, dall'ingegneria meccanica all'informatica ed è una spin off della Scuola Superiore Sant'Anna di Pisa.




Humanware
Servizi IT

Via Garibaldi, 1 - 56125 Pisa (I)
Tel: +39 050 579622 - Fax: +39 050 673270
web: www.humanware.it - email: info@humanware.it



Example of application of Hall-effect sensors

Sensorized glove for detecting finger movements



Modulo sensore (brevettato)



Outline of the lesson

- Definitions of sensor and transducer
- Classification of transducers
- Fundamental properties of sensors
- Position sensors: switches, encoders, potentiometers, Hall-effect sensors
- **Range/Distance sensors: ultrasound sensors and laser range finders**
- Proximity sensors: Hall-effect and infrared sensors
- Force sensors: strain gauges and force/torque sensors
- Inertial sensors


Bibliographical references:

AA.VV., *Handbook of Mechatronics*, CRC Press LLC, 2002, Cap.19






Range*/distance sensors

Laser scanner




US (ultrasound) sensors



*Range is the distance between the sensor and the object detected




Ultrasound sensors



Measurement of **range**
based on **time of flight**




Time-of-flight distance measurement



Time-of-flight distance measurement

$$d = 0.5 t_e v$$


where v is the average speed of the signals emitted (air or water) and t_e is the time between the signal emitted and the signal echo received.



Ultrasound sensors

2 main components:

- ultrasound transducer (working both as emitter and as receiver)
- electronics for computing the distance



Range: 0.3m to 10.5m
Beam amplitude: 30°
Accuracy: ca. 25mm

Typical working cycle:


- the electronics controls the transducer to send ultrasounds
- the receiver is disabled for a given time, in order to avoid false responses due to residual signal in the transducer
- the received signal is amplified with an increasing gain, to compensate the reduction of intensity with distance
- echos above a given threshold are considered and associated to the distances measured from the time passed from transmission



Examples of application of ultrasound sensors on mobile robots






**Pioneer I – Real
Word Interface,
USA**



**B21r – Real Word
Interface, USA**




Examples of application of ultrasound sensors on mobile robots




Laser range finders

Measurement of **range**
based on **phase-shift**





Example of application of laser finder on mobile robots



Map building using the LMS 200 laser scanner



Technical specification			
	Angular Resolution		1° / 0,5° / 0,25°
	Response Time (ms)		13 / 26 / 53
	Resolution (mm)		10
	Systematic Error (mm mode)		+/- 15 mm
	Statistic Error (1 Sigma)		5 mm
	Laser Class		1
	Max. Distance (m)		80
	Data Interface		RS422 / RS232



Outline of the lesson

- Definitions of sensor and transducer
- Classification of transducers
- Fundamental properties of sensors
- Position sensors: switches, encoders, potentiometers, Hall-effect sensors
- Range/Distance sensors: ultrasound sensors and laser range finders
- **Proximity sensors: Hall-effect and infrared sensors**
- Force sensors: strain gauges and force/torque sensors
- Inertial sensors

Bibliographical references:

AA.VV., *Handbook of Mechatronics*, CRC Press LLC, 2002, Cap.19



Proximity sensors


Sensing the presence of an object in a **spatial neighborhood**

Passive proximity sensors detect perturbations of the environment, like for instance modifications of the magnetic or the electric field


Active proximity sensors emit a signal and detect it back, detecting variations or interruptions of the signal received

Ex: magnetic passive sensors: Hall-effect sensors

Ex: active optical sensors: emitter and receiver of light signals




Hall-effect proximity sensors



A permanent magnet generates a magnetic field.
The contact with a ferromagnetic object modifies the magnetic field.
The Hall effect allows to measure this variation as a voltage



Optical sensors



Example of application of infrared optical sensor on mobile robots




Figure 2

SCATTERED (NON-SPECULAR)
REFLECTION



Outline of the lesson

- Definitions of sensor and transducer
- Classification of transducers
- Fundamental properties of sensors
- Position sensors: switches, encoders, potentiometers, Hall-effect sensors
- Range/Distance sensors: ultrasound sensors and laser range finders
- Proximity sensors: Hall-effect and infrared sensors
- **Force sensors: strain gauges and force/torque sensors**
- Inertial sensors

Bibliographical references:

AA.VV., *Handbook of Mechatronics*, CRC Press LLC, 2002, Cap.19




Piezoresistive effect

Every material changes its electrical resistance with **strain**



Basics of mechanical behavior of materials

Stress applied to a material causes strain. The material has an elastic behavior until a stress threshold (elastic limit), beyond which the material deformation is plastic



stress

$$\sigma = p / A_0$$

strain

$$\varepsilon = \Delta l / l_0$$



Poisson's ratio: $\nu = - \frac{\delta A / A_0}{\varepsilon}$

Elasticity module: $E = \frac{\sigma}{\varepsilon}$



Piezoresistive effect

Every material changes its electrical resistance with **strain**



$$V=RI$$

In a metal block: $R = \rho \frac{L}{WH}$


with ρ = resistivity of the material,
 L, W, H = dimensions of the block

$$\frac{\Delta R}{R} = \varepsilon + 2\nu\varepsilon + \frac{\Delta\rho}{\rho}$$

ν = Poisson's ratio of the material



Strain gauge



The sensor shape increases sensitivity in one direction


Gauge factor:

$$G = \frac{\Delta R/R}{\varepsilon} = 1 + 2\nu + \frac{\Delta\rho/\rho}{\varepsilon}$$

ν = Poisson's ratio of the material




Strain gauges




CODES FOR BASIC PATTERNS

N	Q
R	Y
T	C
U	X
Z	P


Sensors with strain gauges




Cable tension sensor




(a) Small applied force



(b) Overload force applied




(a) Small applied force




(b) Overload force applied



Three-axial force/torque sensors




- Mechanical structure with preferred strain directions, along 3 axes
- Strain gauges arranged accordingly



Three-axial force/torque sensors

- Forces and torques are measured from measures of the resistance variations of the strain gauges, multiplied by a coefficient array, typical for each sensor
- The coefficient array is built by a calibration procedure in which known forces are applied

$$\begin{bmatrix} f_x^s \\ f_y^s \\ f_z^s \\ \mu_x^s \\ \mu_y^s \\ \mu_z^s \end{bmatrix} = \begin{bmatrix} 0 & 0 & c_{13} & 0 & 0 & 0 & c_{17} & 0 \\ c_{21} & 0 & 0 & 0 & c_{25} & 0 & 0 & 0 \\ 0 & c_{32} & 0 & c_{34} & 0 & c_{36} & 0 & c_{38} \\ 0 & 0 & 0 & c_{44} & 0 & 0 & 0 & c_{48} \\ 0 & c_{52} & 0 & 0 & 0 & c_{56} & 0 & 0 \\ c_{61} & 0 & c_{63} & 0 & c_{65} & 0 & c_{67} & 0 \end{bmatrix} \begin{bmatrix} w_1 \\ w_2 \\ w_3 \\ w_4 \\ w_5 \\ w_6 \\ w_7 \\ w_8 \end{bmatrix}$$



Example of sensors of a mobile robotic system

Hall-effect sensors on
finger joints

Force/torque sensor on the
wrist (with strain gauges)

Encoders on the
motors of the arm
and of the mobile
base

Ultrasound sensors

Switches on the
bumper

Potentiometers
in the docking
system

