
Business Processes Modelling MPB (6 cfu, 295AA)



Roberto Bruni

http://www.di.unipi.it/~bruni

15 - Sound by construction

Object



We show a technique to build sound Workflow nets

Soundness proof by construction


Idea

1. Find a suitable set of "building blocks"


they are (small) workflow nets that can be (easily) proved to be **sound** and to be **safe** (1-bounded)

2. Define composition patterns so that by composing **safe and sound** WF nets we get **safe and sound** WF nets


Let N, N' be two safe and sound workflow nets




Let t be a task of N with exactly one input and one output place




Let N[N'/t] denote the net obtained by replacing the task t in N by N'



Let N[N'/t] denote the net obtained by replacing the task t in N by N'



The net N[N'/t] is a sound and safe workflow net (proof omitted)




Proof sketch


Intuitively


a sound workflow net behaves as a transition: it takes one token from its input place and it produces one token to its output place (but not atomically)


Formally

the crux of the proof is showing a bijective correspondence between markings of the composed net N[N'/t] and the pairs of markings in N and N'











implicit XOR




implicit XOR

iteration





9




implicit XOR


iteration











But you can define more blocks on your own
















































Prove that the net below is a safe and sound workflow net





explicit XOR block
































Prove that the net below is a safe and sound workflow net



parallel (AND) block




Exercise




Exercise

Prove that the net below is a safe and sound workflow net (hint: "desugar" it)




Generalization

We would like to progressively refine transitions with multiple incoming and outgoing arcs




Two facts

Lemma: Let N be a sound WF net. If (i,t)∈F then the pre-set of t is {i}



(otherwise t would be a dead transition)

Lemma: Let N be a sound WF net. If (t,o)∈F then the post-set of t is {o}




(otherwise t would be dead or proper completion would not hold)

General replacement

Let
$$T_{i'} = \{ u \mid \bullet u = \{i'\} \}$$
.
Let $T_{o'} = \{ v \mid v \bullet = \{o'\} \}$.

If
$$(p,t) \in F_N, u \in T_{i'}$$
 then $(p,u) \in F_{N[N'/t]}$
If $(t,q) \in F_N, v \in T_{o'}$ then $(v,q) \in F_{N[N'/t]}$




a sound and safe workflow net

General replacement


Let
$$T_{i'} = \{ u \mid \bullet u = \{i'\} \}$$
. (initial transitions of N')
Let $T_{o'} = \{ v \mid v \bullet = \{o'\} \}$. (final transitions of N')

If
$$(p,t) \in F_N, u \in T_{i'}$$
 then $(p,u) \in F_{N[N'/t]}$
If $(t,q) \in F_N, v \in T_{o'}$ then $(v,q) \in F_{N[N'/t]}$



a sound and safe workflow net

Some Building Blocks 4



But you can define more blocks on your own

Exercise

